

Draft checklist of the trees of the northern Republic of Congo

David J. Harris & Alexandra H. Wortley

Royal Botanic Garden Edinburgh, 20A Inverleith Row, Edinburgh EH3 5LR, U.K.

INTRODUCTION

This checklist is part of an ongoing project to improve the taxonomic tools available for forest inventory and conservation in the northern Republic of Congo. It specifically relates to the area centred on Nouabalé-Ndoki National Park, and includes information which will be relevant to the contiguous forest in Cameroon (Lobéké) and the Central African Republic (Dzanga-Sangha).

This checklist is limited to forest trees and strangler figs reaching a mature diameter at breast height (dbh) of at least 10 cm. It also includes some species which are smaller than this but are often confused with larger trees in the list. It is presented as a list of species, arranged alphabetically by family, genus and species. Each entry comprises:

- Species name and authority,
- Any selected synonyms,
- A reference to the work used to identify specimens of this species,
- Habitat notes, and
- Conservation status where known, taken from the IUCN Red List (IUCN, 2006).

The habitats covered include (see Harris, 2002 for a more detailed description of these types):

- Mixed species *terra firma* forest, the most widespread and diverse vegetation type in the area,
- *Gilbertiodendron dewevrei* forest, dominated by that species and different in both species composition and structure from the previous type,
- Riparian forest, alongside rivers and streams, and intergrading with swamps and seasonally flooded forest,
- Seasonally flooded forest, inundated by annual flooding from the Sangha River, and
- Seasonally flooded sedge meadows, in forest clearings alongside streams.

At present the checklist contains 468 species in 248 genera and 55 families. The largest family is Leguminosae (36 species), followed by Rubiaceae (27) and Euphorbiaceae (26). The largest genera are *Drypetes* (Euphorbiaceae) & *Ficus* (Moraceae; each with 17 species), followed by *Xylopia* (Annonaceae; 11 species).

Only forty (8%) of the species in the checklist have been assessed for conservation status; of these one (the valuable timber tree *Autranella congolensis*, Sapotaceae) is categorised as “Critically Endangered”, three as “Endangered” and 24 as “Vulnerable” (the remainder are “Low Risk”). Meliaceae contains the greatest number of threatened species in the area (eight). From this we conclude there is an urgent need to establish the conservation status of the remainder of the trees in this area, in order to facilitate management strategies for the increased protection of threatened tree species.

DICOTYLEDONS

ACANTHACEAE

Thomandersia hensii De Wild. & T.Durand

Reference: Heine, Fl. Gabon 13: 221. 1966.

Habitat: *Terra firma* forest.

ANACARDIACEAE

Antrocaryon klaineanum Pierre

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 728. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable

Antrocaryon micraster A.Chev. & Guillaumin

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 728. 1958.

Habitat: *Terra firma* forest.

Lannea welwitschii (Hiern) Engl. var. *welwitschii*

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 732. 1958.

Habitat: *Terra firma* forest.

Pseudospondias microcarpa (A.Rich.) Engl.

Reference: Kokwaro, F.T.E.A. (Anacardiaceae): 53. 1986.

Habitat: Riparian forest on the Sangha.

Trichoscypha acuminata Engl.

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 735. 1958.

Habitat: *Terra firma* forest.

ANNONACEAE

Anonidium manni (Oliv.) Engl. & Diels

Reference: Le Thomas, Fl. Gabon 16: 330. 1969.

Habitat: Mixed species and *Gilbertiodendron dewevrei terra firma* forest.

Cleistopholis vel sp. aff. glauca (Benth.) Engl. & Diels

Reference: Le Thomas, Fl. Gabon 16: 88. 1969.

Habitat: *Terra firma* and riparian forest.

Cleistopholis patens (Benth.) Engl. & Diels

Reference: Le Thomas, Fl. Gabon 16: 91. 1969.

Habitat: *Terra firma* and riparian forest.

Cleistopholis vel sp. aff. staudtii Engl. & Diels

Reference: Le Thomas, Fl. Gabon 16: 94. 1969.

Habitat: Abandoned logging roads.

Conservation status: Vulnerable.

***Duguetia staudtii* (Engl. & Diels) Chatrou**

Reference: Le Thomas, Fl. Gabon 16: 107. 1969.

Synonyms: *Pachypodanthium staudtii* Engl. & Diels

Habitat: *Terra firma* forest.

***Greenwayodendron suaveolens* (Engl. & Diels) Verdc.**

Reference: Verdcourt, F.T.E.A. (Annonaceae): 67. 1971.

Synonyms: *Polyalthia suaveolens* Engl. & Diels

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forests.

***Hexalobus crispiflorus* A.Rich.**

Reference: Richard, 1841: 43.

Habitat: Riparian forest on the Sangha.

Hexalobus sp. A

Habitat: *Terra firma* forest.

***Isolona hexaloba* (Pierre) Engl. & Diels**

Reference: Le Thomas, Fl. Gabon 16: 35. 1969.

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forests.

***Monodora angolensis* Welw.**

Reference: Le Thomas, Fl. Gabon 16: 346. 1969.

Habitat: *Terra firma* forest.

***Monodora myristica* (Gaertn.) Dunal**

Reference: Le Thomas, Fl. Gabon 16: 342. 1969.

Habitat: *Terra firma* forest.

***Monodora tenuifolia* Benth.**

Reference: Le Thomas, Fl. Gabon 16: 389. 1969.

Habitat: *Terra firma* forest.

***Polyceratocarpus gossweileri* (Exell) Paiva**

Reference: Paiva, 1966: 49.

Habitat: *Terra firma* forest.

***Uvariastrum germainii* Boutique**

Reference: Boutique, F.C.B. 2: 367. 1951.

Habitat: *Gilbertiodendron dewevrei* forest.

***Uvariastrum pierreanum* Engl. & Diels**

Reference: Le Thomas, Fl. Gabon 16: 292. 1969.

Habitat: *Terra firma* forest.

***Uvariodendron molundense* (Engl. & Diels) R.E.Fr.**

Reference: Le Thomas, Fl. Gabon 16: 280. 1969.

Habitat: Riparian forest.

***Uvariopsis congoensis* Robyns & Ghesq.**

Reference: Boutique, F.C.B. 2: 381. 1951.

Habitat: Riparian forest.

***Uvariopsis solheidii* (De Wild.) Robyns & Ghesq.**

Reference: Le Thomas, Fl. Gabon 16: 298. 1969.

Habitat: *Terra firma* forest.

***Xylopia acutiflora* (Dunal) A.Rich.**

Reference: Le Thomas, Fl. Gabon 16: 169. 1969.

Habitat: Seasonally flooded sedge meadows.

***Xylopia aethiopica* (Dunal) A.Rich.**

Reference: Le Thomas, Fl. Gabon 16: 165. 1969.

Habitat: *Terra firma* forest.

***Xylopia aurantiiodora* De Wild. & T.Durand**

Reference: Le Thomas, Fl. Gabon 16: 158. 1969.

Habitat: Riparian forest on the Sangha.

***Xylopia chrysophylla* Louis ex Boutique**

Reference: Boutique, F.C.B. 2: 323. 1951.

Habitat: *Terra firma* forest.

***Xylopia flamignii* Boutique**

Reference: Boutique, F.C.B. 2: 332. 1951.

Habitat: *Terra firma* forest.

***Xylopia gilbertii* Boutique**

Reference: Boutique, F.C.B. 2: 333. 1951.

Habitat: *Terra firma* forest.

***Xylopia hypolampra* Mildbr.**

Reference: Le Thomas, Fl. Gabon 16: 181. 1969.

Habitat: Forest and abandoned logging roads.

***Xylopia le-testui* Pellegr.**

Reference: Le Thomas, Fl. Gabon 16: 177. 1969.

Habitat: *Terra firma* forest.

***Xylopia parviflora* (A.Rich.) Benth.**

Reference: Le Thomas, Fl. Gabon 16: 175. 1969.

Habitat: Riparian forest on the Sangha.

***Xylopia phloiodora* Mildbr.**

Reference: Le Thomas, Fl. Gabon 16: 184. 1969.

Habitat: *Terra firma* forest.

***Xylopia quintasii* Engl. & Diels**

Reference: Le Thomas, Fl. Gabon 16: 155. 1969.

Habitat: Secondary and riparian forest.

APOCYNACEAE

***Alstonia boonei* De Wild.**

Reference: de Jong, 1979: 5.

Habitat: *Terra firma* forest.

***Alstonia congensis* Engl.**

Reference: de Jong, 1979: 9.

Habitat: Streams and permanent swamps.

***Funtumia africana* (Benth.) Stapf**

Reference: Zwetsloot, 1981: 16.

Habitat: *Terra firma* and riparian forest.

***Funtumia elastica* (Preuss) Stapf**

Reference: Zwetsloot, 1981: 25.

Habitat: *Terra firma* forest.

***Hunteria ballayi* Hua**

Reference: Omino, 1996: 90.

Habitat: *Terra firma* and seasonally flooded forest.

***Picralima nitida* (Stapf) T.Durand & H.Durand**

Reference: Omino, 1996: 128.

Habitat: *Terra firma* forest.

***Pleiocarpa pycnantha* (K.Schum.) Stapf**

Reference: Omino, 1996: 146.

Habitat: *Terra firma* forest.

***Rauvolfia caffra* Sond.**

Reference: van Dilst & Leeuwenberg, 1991: 24.

Habitat: *Terra firma* forest.

***Rauvolfia vomitoria* Afzel.**

Reference: van Dilst & Leeuwenberg, 1991: 60.

Habitat: Old fields and roadsides, occasionally in light gaps.

***Tabernaemontana crassa* Benth.**

Reference: Leeuwenberg, 1991: 21.

Habitat: *Terra firma* forest.

***Tabernaemontana penduliflora* K.Schum.**

Reference: Leeuwenberg, 1991: 57.

Habitat: *Terra firma* forest.

***Voacanga africana* Stapf**

Reference: Leeuwenberg, 1985: 12.

Habitat: Secondary forest, by old fields.

BALANITACEAE

***Balanites wilsoniana* Dawe & Sprague**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 364. 1958.

Habitat: *Terra firma* forest.

BIGNONIACEAE

***Fernandoa adolfi-friderici* (Gilg & Mildbr.) Heine**

Reference: Gentry, Fl. Cam. 27: 28. 1984.

Habitat: *Terra firma* forest.

***Kigelia vel sp. aff. africana* (Lam.) Benth.**

Reference: Gentry, Fl. Cam. 27: 32. 1984.

Habitat: Light gaps in *terra firma* and riparian forest.

***Markhamia lutea* (Benth.) K.Schum.**

Reference: Gentry, Fl. Cam. 27: 36. 1984.

Habitat: Old fields.

***Markhamia tomentosa* (Benth.) K.Schum. ex Engl.**

Reference: Gentry, Fl. Cam. 27: 38. 1984.

Habitat: Old fields and *terra firma* forest.

***Spathodea campanulata* P.Beauv.**

Reference: Gentry, Fl. Cam. 27: 44. 1984.

Habitat: *Terra firma* forest.

BOMBACACEAE

***Bombax buonopozense* P.Beauv.**

Reference: Villiers, Fl. Cam. 19: 84. 1975.

Habitat: *Terra firma* forest.

***Ceiba pentandra* (L.) Gaertn.**

Reference: Villiers, Fl. Cam. 19: 76. 1975.

Habitat: *Terra firma* and seasonally flooded forest, and on cleared land.

BORAGINACEAE

***Cordia millenii* Baker**

Reference: Taton, F.C.R.B. (Boraginaceae): 10. 1971.

Habitat: *Terra firma* forest.

Conservation status: Low Risk – least concern.

***Cordia* vel sp. aff. *platythyrsa* Baker**

Reference: Hutchinson & Dalziel, F.W.T.A. 2: 321. 1963.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Ehretia cymosa* Thonn.**

Reference: Taton, F.C.R.B. (Boraginaceae): 22. 1971.

Habitat: *Terra firma* forest.

BURSERACEAE

***Canarium schweinfurthii* Engl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 692. 1958.

Habitat: *Terra firma* forest.

***Dacryodes edulis* (G.Don) H.J.Lam**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 696. 1958.

Habitat: *Terra firma* forest, also planted.

***Santiria trimera* (Oliv.) Aubrév.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 696. 1958.

Habitat: *Terra firma* forest.

CHRYSOBALANACEAE

***Licania elaeosperma* (Mildbr.) Prance & F.White**

Reference: Letouzey & White, Fl. Cam. 20: 68. 1978.

Habitat: Riparian forest.

***Magnistipula* sp. A**

***Maranthes glabra* (Oliv.) Prance**

Reference: Letouzey & White, Fl. Cam. 20: 108. 1978.

Habitat: *Terra firma* forest.

***Parinari excelsa* Sabine**

Reference: Letouzey & White, Fl. Cam. 20: 130. 1978.

Habitat: *Terra firma* forest.

COMBRETACEAE

***Pteleopsis hylodendron* Mildbr.**

Reference: Jongkind, Fl. Gabon 35: 94. 1999.

Habitat: *Terra firma* forest.

***Terminalia superba* Engl. & Diels**

Reference: Jongkind, Fl. Gabon 35: 108. 1999.

Habitat: *Terra firma* and seasonally flooded forest.

CONNARACEAE

Hemandradenia manni Stapf

Reference: Eimunjeze, 1989: 279.

Habitat: *Terra firma* forest.

Conservation status: Low Risk – near threatened.

EBENACEAE

Diospyros bipindensis Gürke

Reference: Letouzey & White, Fl. Cam. 11: 30. 1970.

Habitat: *Terra firma* forest.

Diospyros canaliculata De Wild.

Reference: Letouzey & White, Fl. Cam. 11: 43. 1970.

Habitat: *Terra firma* forest, often in light gaps.

Diospyros crassiflora Hiern

Reference: Letouzey & White, Fl. Cam. 11: 57. 1970.

Habitat: *Terra firma* forest.

Conservation status: Endangered.

Diospyros dendo Welw. ex Hiern

Reference: Letouzey & White, Fl. Cam. 11: 63. 1970.

Habitat: *Terra firma* forest.

Diospyros ferrea (Willd.) Bakh.

Reference: Letouzey & White, Fl. Cam. 11: 69. 1970.

Habitat: *Gilbertiodendron dewevrei* forest.

Diospyros gilletii De Wild.

Reference: Letouzey & White, Fl. Cam. 11: 82. 1970.

Habitat: Riparian forest.

Diospyros iturensis (Gürke) Letouzey & F.White

Reference: Letouzey & White, Fl. Cam. 11: 93. 1970.

Habitat: *Terra firma* and seasonally flooded forest.

Diospyros manni Hiern

Reference: Letouzey & White, Fl. Cam. 11: 104. 1970.

Habitat: *Terra firma* forest.

Diospyros monbutensis Gürke

Reference: Letouzey & White, Fl. Cam. 11: 115. 1970.

Habitat: *Terra firma* and riparian forest.

Diospyros pseudomespilus Mildbr.

Reference: Letouzey & White, Fl. Cam. 11: 140. 1970.

Habitat: *Terra firma* forest.

EUPHORBIACEAE

Alchornea cordifolia (Schumach. & Thonn.) Müll.Arg.

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 403. 1958.

Habitat: Riparian forest on the Sangha, roadsides and light gaps in *terra firma* forest.

Antidesma laciniatum Müll.Arg.

Reference: Léonard, Fl. Afr. Cent. (Euphorbiaceae, 2): 22. 1995.

Habitat: *Terra firma* forest.

Antidesma rufescens Tul.

Reference: Léonard, Fl. Afr. Cent. (Euphorbiaceae, 2): 78. 1995.

Habitat: Riparian forest on the Sangha.

Antidesma vogelianum Müll.Arg.

Reference: Léonard, Fl. Afr. Cent. (Euphorbiaceae, 2): 26. 1995.

Habitat: Seasonally flooded and riparian forest, occasionally *terra firma* forest.

Bridelia atroviridis Müll.Arg.

Reference: Léonard, F.C.R.B. 8,1: 35. 1962.

Habitat: Light gaps, old fields and roadsides.

Bridelia grandis Pierre ex Hutch.

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 370. 1958.

Habitat: *Terra firma* and riparian forest.

Bridelia ripicola J.Léonard

Reference: Léonard, F.C.R.B. 8,1: 45. 1962.

Habitat: Riparian forest on the Sangha.

Cleistanthus mildbraedii Jabl.

Reference: Léonard, 1960: 425.

Habitat: Seasonally flooded and *terra firma* forest, often associated with *Lophira alata* at the edge of seasonally flooded forest.

Croton haumanianus J.Léonard

Reference: Léonard, F.C.R.B. 8,1: 60. 1962.

Habitat: Seasonally flooded clearings in forest.

Croton vel sp. aff. mayumbensis J.Léonard

Reference: Léonard, 1956: 390.

Habitat: *Terra firma* forest, especially on abandoned roads and old fields.

Croton sylvaticus Hochst. ex Krauss

Reference: Léonard, F.C.R.B. 8,1: 72. 1962.

Habitat: Riparian forest on the Sangha.

Dichostemma glaucescens Pierre

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 416. 1958.

Habitat: Light gaps in *terra firma* forest, riparian forest and permanent swamps.

***Discoglypremma caloneura* (Pax) Prain**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 403. 1958.

Habitat: Light gaps and roadsides

***Drypetes vel* sp. aff. *angustifolia* Pax & K.Hoffm.**

Reference: Pax & Hoffmann, 1922: 261.

Habitat: *Terra firma* and seasonally flooded forest.

***Drypetes bakembei* D.J.Harris & Wortley**

Reference: Harris & Wortley, 2006a: 253.

Habitat: mixed species *terra firma* forest.

***Drypetes capillipes* (Pax) Pax & K.Hoffm.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 382. 1958.

Habitat: *Terra firma* forest.

***Drypetes cinnabrina* Pax & K.Hoffm.**

Reference: Pax & Hoffmann, 1922: 263.

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forest.

***Drypetes diopa* (Hiern) Brenan**

Reference: Brenan, 1953: 92.

Habitat: *Terra firma* forest.

***Drypetes fallax* Pax & K.Hoffm.**

Reference: Pax & Hoffmann, 1922: 242.

Habitat: *Terra firma* forest.

***Drypetes gossweileri* S.Moore**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 382. 1958.

Habitat: *Terra firma* forest.

***Drypetes vel* sp. aff. *ituriensis* Pax & K.Hoffm.**

Reference: Pax & Hoffmann, 1922: 277.

Habitat: *Terra firma* forest.

***Drypetes laciniata* (Pax) Hutch.**

Reference: Pax & Hoffmann, 1922: 256.

Habitat: *Gilbertiodendron dewevrei* forest.

Conservation status: Low Risk – near threatened.

***Drypetes molunduana* Pax & K.Hoffm.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 381. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Drypetes occidentalis* (Müll.Arg.) Hutch.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 382. 1958.

Habitat: *Terra firma* forest.

***Drypetes paxii* Hutch.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 381. 1958.

Habitat: *Terra firma* forest.

***Drypetes polyantha* Pax & K.Hoffm.**

Reference: Pax & Hoffmann, 1922: 259.

Habitat: *Terra firma* forest.

***Drypetes vel* sp. aff. *principum* (Müll.Arg.) Hutch.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 381. 1958.

Habitat: *Terra firma* and riparian forest.

***Drypetes vel* sp. aff. *urophylla* Pax & K.Hoffm.**

Reference: Pax & Hoffmann, 1922: 254.

Habitat: *Terra firma* forest.

***Drypetes* sp. A**

Habitat: *Terra firma* forest.

***Drypetes* sp. B**

Habitat: *Terra firma* forest.

***Elaeophorbia grandifolia* (Haw.) Croizat**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 423.

Habitat: Edges of seasonally flooded clearings.

***Grossera macrantha* Pax**

Reference: Léonard, 1955: 319.

Habitat: *Terra firma* forest.

***Keayodendron brideliooides* Leandri**

Reference: Breteler, 1993: 188.

Habitat: *Terra firma* forest.

***Macaranga barteri* Müll.Arg.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 407. 1958.

Habitat: *Terra firma* forest.

***Macaranga monandra* Müll.Arg.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 407. 1958.

Habitat: Old fields, roadsides and seasonally flooded forest.

***Macaranga spinosa* Müll.Arg.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 408. 1958.

Habitat: Old fields and roadsides.

***Maesobotrya longipes* Hutch.**

Reference: Léonard, 1994: 26.

Habitat: *Terra firma* forest.

***Maprounea membranacea* Pax & K.Hoffm.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 416. 1958.

Habitat: Seasonally flooded sedge meadows.

***Mareya brevipes* Pax**

Reference: Léonard, Fl. Afr. Cent. (Euphorbiaceae, 3): 21. 1996.

Habitat: *Terra firma* forest.

***Margaritaria discoidea* (Baill.) Webster**

Reference: Radcliffe-Smith, 1981: 219.

Habitat: *Terra firma* forest.

***Martretia quadricornis* Beille**

Reference: Léonard, 1989: 326.

Habitat: *Terra firma* forest.

***Necepsia afzelii* Prain subsp. *zenkeri* Bouchat & J.Léonard**

Reference: Bouchat & Léonard, 1986: 186.

Habitat: *Terra firma* forest.

***Neoboutonia manni* Benth.**

Reference: Radcliffe-Smith, 1974: 438.

Habitat: Clearings, riparian forest and streamsides.

Conservation status: Low Risk – near threatened.

***Oldfieldia africana* Benth. & Hook.f.**

***Phyllanthus polyanthus* Pax**

Reference: Hutchinson F.T.A. 6, 1: 703. 1912.

Habitat: Seasonally flooded and *terra firma* forest.

***Ricinodendron heudelotii* (Baill.) Pierre ex Heckel**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 393. 1958.

Habitat: *Terra firma* forest.

***Sapium ellipticum* (Hochst.) Pax**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 415. 1958.

Synonyms: *Shirakia elliptica* (Hochst.) Kruijt

Habitat: *Terra firma* and seasonally flooded forest.

***Sclerocroton cornutus* (Pax) Kruijt & Roebers**

Reference: Kruijt & Roebers, 1996: 20.

Synonyms: *Sapium cornutum* Pax

Habitat: Abandoned logging roads.

***Tetrorchidium didymostemon* (Baill.) Pax & K.Hoffm.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 414. 1958.

Habitat: Light gaps and roadsides.

***Uapaca corbisieri* De Wild.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 392. 1958.

Habitat: *Terra firma* forest.

***Uapaca guineensis* Müll.Arg.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 390. 1958.

Habitat: Seasonally flooded forest.

***Uapaca heudelotii* Baill.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 390. 1958.

Habitat: Riparian forest on the Sangha.

***Uapaca vanhouttei* De Wild.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 390. 1958.

Habitat: *Terra firma* and riparian forest.

FLACOURTIACEAE

***Buchnerodendron speciosum* Gürke**

Reference: Sleumer, 1974: 291.

Habitat: Light gaps in *terra firma* forest.

***Caloncoba crepiniana* (De Wild. & T.Durand) Gilg**

Reference: De Wildeman & Durand, 1899: 7.

Synonyms: *Oncoba crepiniana* De Wild. & T.Durand

Habitat: Swampy clearings in forest and roadsides.

***Caloncoba welwitschii* (Oliv.) Gilg**

Reference: Hul, Fl. Gabon 34: 46. 1995.

Synonyms: *Oncoba welwitschii* Oliv.

Habitat: Light gaps and abandoned logging roads.

***Camptostylus mannii* (Oliv.) Gilg**

Reference: Hul, Fl. Gabon 34: 56. 1995.

Synonyms: *Oncoba mannii* Oliv.

Habitat: Mixed species *terra firma* forest.

***Casearia barteri* Mast.**

Reference: Sleumer 1971: 406.

Habitat: *Terra firma* forest.

Conservation status: Low Risk – least concern.

***Casearia congensis* Gilg**

Reference: Sleumer, 1971: 402.

Habitat: Riparian and seasonally flooded forest.

***Casearia stipitata* Mast.**

Reference: Sleumer, 1971: 400.

Habitat: Riparian forest on the Sangha.

***Dasylepis sereti* De Wild.**

Reference: Sleumer, 1972a: 558.

Habitat: *Terra firma* forest.

***Dovyalis zenkeri* Gilg**

Reference: Sleumer, 1972b: 72.

Habitat: Roadsides and abandoned fields.

***Homalium africanum* (Hook.f.) Benth.**

Reference: Sleumer, Fl. Afr. Cent. (Flacourtiaceae, 2): 16. 1976.

Habitat: Riparian forest, especially in well lit situations.

***Homalium letestui* Pellegr.**

Reference: Sleumer, Fl. Afr. Cent. (Flacourtiaceae, 2): 20. 1976.

Habitat: *Terra firma* forest.

***Homalium longistylum* Mast.**

Reference: Sleumer, 1973: 270.

Habitat: *Terra firma* forest.

***Homalium stipulaceum* Welw. ex Mast.**

Reference: Sleumer, Fl. Afr. Cent. (Flacourtiaceae, 2): 14. 1976.

Habitat: *Terra firma* forest.

***Homalium* sp. A**

***Lindackeria dentata* (Oliv.) Gilg**

Reference: Hul, Fl. Gabon 34: 34. 1995.

Synonyms: *Oncoba dentata* Oliv.

Habitat: Light gaps.

***Scottellia klaineana* Pierre**

Reference: Sleumer, 1972c: 279.

Habitat: *Terra firma* forest.

***Scottellia orientalis* Gilg**

Reference: Sleumer, 1972c: 277.

Habitat: Riparian forest and seasonally flooded sedge meadows.

GUTTIFERAE

***Allanblackia floribunda* Oliv.**

Reference: Bamps, F.C.R.B. (Guttiferae): 44. 1970.

Habitat: *Terra firma* forest.

***Endodesmia calophylloides* Benth.**

Reference: Bamps, F.C.R.B. (Guttiferae): 40. 1970.

Habitat: *Terra firma* forest.

***Garcinia* vel sp. aff. *afzelii* Engl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 295. 1954.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Garcinia chromocarpa* Engl.**

Reference: Bamps, F.C.R.B. (Guttiferae): 56. 1970.

Habitat: *Terra firma* forest.

***Garcinia kola* Heckel**

Reference: Bamps, F.C.R.B. (Guttiferae): 58. 1970.

Habitat: *Terra firma* forest.

***Garcinia ovalifolia* Oliv.**

Reference: Bamps, F.C.R.B. (Guttiferae): 61. 1970.

Habitat: Seasonally flooded and riparian forest.

***Garcinia punctata* Oliv.**

Reference: Bamps, F.C.R.B. (Guttiferae): 36. 1970.

Habitat: *Terra firma* forest.

***Garcinia smeathmannii* (Planch. & Triana) Oliv.**

Reference: Bamps, F.C.R.B. (Guttiferae): 60. 1970.

Habitat: Riparian and *terra firma* forest.

***Harungana madagascariensis* Lam. ex Poir.**

Reference: Bamps, F.C.R.B. (Guttiferae): 14. 1970.

Habitat: Old fields and cleared land, abandoned logging roads.

***Mammea africana* Sabine**

Reference: Bamps, F.C.R.B. (Guttiferae): 50. 1970.

Habitat: Seasonally flooded and *terra firma* forest.

HUACEAE

***Afrostyrax lepidophyllus* Mildbr.**

Reference: Hepper, F.W.T.A. 2: 34. 1963.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

ICACINACEAE

***Alsodeiopsis* sp. A**

IRVINGIACEAE

Irvingia excelsa Mildbr.

Reference: Harris, 1996: 167.

Habitat: *Terra firma* forest.

Irvingia gabonensis (Aubry-Lecomte ex O'Rorke) Baill.

Conservation status: Low Risk – near threatened.

Irvingia grandifolia (Engl.) Engl.

Reference: Harris, 1996: 177.

Habitat: *Terra firma* and seasonally flooded forest.

Irvingia robur Mildbr.

Reference: Harris, 1996: 182.

Habitat: *Terra firma* forest.

Irvingia smithii Hook.f.

Reference: Harris, 1996: 185.

Habitat: Seasonally flooded and riparian forest, co-dominant with *Trichilia retusa* and *Uapaca heudelotii* along the banks of the Sangha.

Irvingia wombolu Vermoesen

Reference: Harris, 1996: 191.

Habitat: Seasonally flooded and riparian forest, occasionally in *terra firma* forest.

Klainedoxa gabonensis Pierre ex Engl.

Reference: Harris, 1996: 153.

Habitat: *Terra firma* forest, occasionally in riparian forest.

Klainedoxa trillesii Pierre ex Tiegh.

IXONANTHACEAE

Phyllocosmus africanus (Hook.f.) Klotzsch

Reference: Oliver, F.T.A. 1: 273. 1868.

Synonyms: *Ochthocosmus africanus* Hook.f.

Habitat: *Terra firma*, seasonally flooded and riparian forest.

LAURACEAE

Beilschmiedia congolana Robyns & R.Wilczek

Reference: Fouilloy, Fl. Cam. 18: 22. 1974.

Habitat: *Terra firma* forest.

Beilschmiedia sp. A

Habitat: Riparian forest.

LECYTHIDACEAE

Petersianthus macrocarpus (P.Beauv.) Liben

Reference: Liben, Fl. Afr. Cent. (Lecythidaceae): 2. 1971.

Synonyms: *Combretodendron macrocarpum* (P.Beauv.) Keay

Habitat: *Terra firma* forest.

LEEACEAE

Leea guineensis G.Don

Reference: Descoings, Fl. Cam. 13: 134. 1972.

Habitat: *Terra firma* forest.

LEGUMINOSAE-CAESALPINIOIDEAE

Afzelia bipindensis Harms

Reference: Aubréville, Fl. Cam. 9: 116. 1970.

Habitat: *Terra firma* and riparian forest.

Conservation status: Vulnerable.

Anthonotha macrophylla P.Beauv.

Reference: Aubréville, Fl. Cam. 9: 196. 1970.

Habitat: *Terra firma* forest, riparian forest and old fields.

Berlinia bruneelii (De Wild.) Torre & Hille.

Berlinia grandiflora (Vahl) Hutch. & Dalziel

Reference: Aubréville, Fl. Cam. 9: 248. 1970.

Habitat: Riparian forest.

Brachystegia vel sp. aff. cynometroides Harms

Reference: Aubréville, Fl. Cam. 9: 260. 1970.

Habitat: *Terra firma* forest.

Cassia mannii Oliv.

Reference: Aubréville, Fl. Cam. 9: 53. 1970.

Habitat: Wet places in forest.

Copaifera mildbraedii Harms

Reference: Aubréville, Fl. Cam. 9: 132. 1970.

Habitat: Mixed species and *Gilbertiodendron dewevrei terra firma* forest.

Cynometra sanagaensis Aubrév.

Reference: Aubréville, Fl. Cam. 9: 79. 1970.

Habitat: Riparian forest on the Sangha.

Daniellia pynaertii De Wild.

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 463. 1958.

Habitat: *Gilbertiodendron dewevrei* forest.

***Detarium macrocarpum* Harms**

Reference: Aubréville, Fl. Cam. 9: 138. 1970.

Habitat: *Terra firma* and riparian forest.

***Dialium bipindense* Harms**

Reference: Aubréville, Fl. Cam. 9: 39. 1970.

Habitat: Seasonally flooded forest, abandoned roads and fields.

Conservation status: Low Risk – near threatened.

***Dialium dinklagei* Harms**

Reference: Aubréville, Fl. Cam. 9: 40. 1970.

Habitat: Old fields.

***Dialium pachyphyllum* Harms**

Reference: Harms, 1915: 468.

Habitat: *Terra firma* forest.

***Dialium polyanthum* Harms**

Reference: Harms, 1915: 469.

Habitat: Mixed species *terra firma* forest.

***Dialium tessmannii* Harms**

Reference: Aubréville, Fl. Cam. 9: 35. 1970.

Habitat: Abandoned logging roads.

***Dialium zenkeri* Harms**

Reference: Aubréville, Fl. Cam. 9: 42. 1970.

Habitat: *Terra firma* forest.

***Erythrophleum suaveolens* (Guill. & Perr.) Brenan**

Reference: Aubréville, Fl. Cam. 9: 317. 1970.

Habitat: *Terra firma* forest.

***Gilbertiodendron dewevrei* (De Wild.) J.Léonard**

Reference: Aubréville, Fl. Cam. 9: 211. 1970.

Habitat: Forming closed-canopy monodominant stands, which may be up to 2 km wide.

***Guibourtia demeusei* (Harms) J.Léonard**

Reference: Aubréville, Fl. Cam. 9: 124. 1970.

Habitat: Seasonally flooded forest.

***Oxystigma buchholzii* Harms**

Reference: Aubréville, Fl. Cam. 9: 130. 1970.

Habitat: Riparian forest on the Sangha and smaller streams.

***Oxystigma oxyphyllum* (Harms) J.Léonard**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 466. 1958.

Synonyms: *Pterygota oxyphyllum* Harms

Habitat: Forest.

***Pachyelasma tessmannii* (Harms) Harms**

Reference: Aubréville, Fl. Cam. 9: 321. 1970.

Habitat: *Terra firma* forest.

***Stemonocoleus micranthus* Harms**

Reference: Aubréville, Fl. Cam. 9: 174. 1970.

Habitat: *Terra firma* forest and riparian forest on the Sangha.

***Tessmannia africana* Harms**

Reference: Aubréville, Fl. Cam. 9: 158. 1970.

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forest.

***Tessmannia anomala* (Micheli) Harms**

Reference: Aubréville, Fl. Cam. 9: 156. 1970.

Habitat: *Terra firma* forest.

***Tessmannia vel sp. aff. lescrauwaetii* (De Wild.) Harms**

Reference: Léonard, 1950: 46.

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forest.

LEGUMINOSAE-MIMOSOIDEAE

***Albizia adianthifolia* (Schumach.) W.Wight**

Reference: Brenan, 1952: 520.

Habitat: *Terra firma* forest.

***Albizia ferruginea* (Guill. & Perr.) Benth.**

Reference: Villiers, Fl. Gabon 31: 148. 1989.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

Albizia glaberrima* (Schumach. & Thonn.) Benth. var. *glaberrima

Reference: Villiers, Fl. Gabon 31: 142. 1989.

Habitat: *Terra firma* forest.

***Albizia gummifera* (J.F.Gmel.) C.A.Sm. var. *ealaensis* (De Wild.) Brenan**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 503. 1958.

Habitat: *Terra firma* forest.

***Albizia laurentii* De Wild.**

Reference: Villiers, Fl. Gabon 31: 135. 1989.

Habitat: Riparian forest on the Sangha.

***Aubrevillea platicarpa* Pellegr.**

Reference: Villiers, Fl. Gabon 31: 34. 1989

***Cathormion altissimum* (Hook.f.) Hutch. & Dandy**

Reference: Villiers, Fl. Gabon 31: 164. 1989.

Synonyms: *Arthrosamanea altissima* Hook.f.

Habitat: Riparian forest on the Sangha.

***Dichrostachys cinerea* (L.) Wight & Arn. subsp. *platycarpa* (Welw. ex Bull) Brenan & Brummitt**

Reference: Villiers, Fl. Gabon 31: 116. 1989.

Habitat: Poorly drained clearings in forest, old roads and abandoned fields.

***Fillaeopsis discophora* Harms**

Reference: Villiers, Fl. Gabon 31: 38. 1989.

Habitat: *Terra firma* forest.

***Parkia filicoidea* Welw. ex Oliv.**

Reference: Villiers, Fl. Gabon 31: 31. 1989.

Habitat: *Terra firma* forest and riparian forest on the Sangha.

***Pentaclethra macrophylla* Benth.**

Reference: Villiers, Fl. Gabon 31: 19. 1989.

Habitat: *Terra firma* forest, roadsides and old fields.

***Piptadeniastrum africanum* (Hook.f.) Brenan**

Reference: Villiers, Fl. Gabon 31: 57. 1989.

Habitat: *Terra firma* forest.

***Tetrapleura tetraptera* (Schumach. & Thonn.) Taub.**

Reference: Villiers, Fl. Gabon 31: 64. 1989.

Habitat: *Terra firma* forest, roadsides, old fields and riparian forest.

LEGUMINOSAE-PAPILIONOIDEAE

***Amphimas pterocarpoides* Harms**

Reference: Aubréville, Fl. Cam. 9: 32. 1970.

Habitat: *Terra firma* forest.

***Angylocalyx pynaertii* De Wild.**

Reference: Yakovlev et al., 1968: 324.

Synonyms: *Angylocalyx zenkeri* Harms

Habitat: *Terra firma* and riparian forest.

***Baphia lepidobotrys* Harms subsp. *silvatica* (Harms) Soladoye**

Reference: Soladoye, 1985: 346.

Habitat: *Terra firma* forest.

***Bobgunnia fistuloides* (Harms) J.H.Kirkbr. & Wiersema**

Habitat: *Terra firma* forest and seasonally flooded forest.

Conservation status: Endangered.

***Erythrina droogmansiana* De Wild. & T.Durand**

Reference: Krukoff & Barneby, 1974: 422.

Habitat: *Terra firma* forest.

***Mildbraediadendron excelsum* Harms**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 448. 1958.

Habitat: *Terra firma* forest.

***Millettia drastica* Welw. ex Baker**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 527. 1958.

Habitat: *Terra firma* forest.

***Millettia griffoniana* Baill.**

Reference: Polhill, 1971: 260.

Habitat: Riparian forest on the Sangha.

***Millettia manni* Baker**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 526. 1958.

Habitat: Edge of wet clearings and streamsides.

***Millettia sanagana* Harms**

Reference: Harms, 1899: 288.

Habitat: Light gaps and seasonally flooded forest.

***Pericopsis elata* (Harms) Meeuwen**

Reference: Knapp-van Meeuwen, 1962: 216.

Habitat: *Terra firma* forest.

Conservation status: Endangered.

***Platysepalum chevalieri* Harms**

Reference: Gillet, 1960: 466.

Habitat: Old fields.

***Pterocarpus soyauxii* Taub.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 517.

Habitat: *Terra firma* forest.

LEPIDOBOTRYACEAE

***Lepidobotrys staudtii* Engl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 357. 1958.

Habitat: *Terra firma* forest.

LOGANIACEAE

***Anthocleista liebrechtsiana* De Wild. & T.Durand**

Reference: Leeuwenberg, Fl. Gabon 19: 8. 1972.

Habitat: Riparian forest on the Sangha.

***Anthocleista schweinfurthii* Gilg**

Reference: Leeuwenberg, Fl. Gabon 19: 12. 1972.

Habitat: Seasonally flooded forest.

***Anthocleista vogelii* Planch.**

Reference: Leeuwenberg, Fl. Gabon 19: 14. 1972.

Habitat: Old fields and roadside vegetation.

MEDUSANDRACEAE

***Soyauxi* sp. A**

Habitat: *Terra firma* forest.

MELASTOMATACEAE

***Warneckea jasminoides* (Gilg) Jacq.-Fél.**

Reference: Jacques-Félix, Fl. Cam. 24: 164. 1983.

Habitat: *Terra firma* and seasonally flooded forest.

MELIACEAE

***Carapa procera* DC.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 702. 1958.

Habitat: *Terra firma* forest.

***Entandrophragma angolense* (Welw.) C.DC.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 700. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Entandrophragma candollei* Harms**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 700. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Entandrophragma cylindricum* (Sprague) Sprague**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 701. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Entandrophragma utile* (Dawe & Sprague) Sprague**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 700. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Guarea cedrata* (A.Chev.) Pellegr.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 706. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Guarea vel* sp. aff. *thompsonii* Sprague & Hutch.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 707. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Khaya anthotheca* C.DC.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 699. 1958.

Conservation status: Vulnerable.

***Lovoa trichilioides* Harms**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 702. 1958.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Trichilia monadelpha* (Thonn.) J.J.de Wilde**

Reference: De Wilde, 1968: 108.

Synonyms: *Trichilia heudelotii* Planch. ex Oliv.

Habitat: Riparian forest on the Sangha.

***Trichilia prieuriana* A.Juss. subsp. *vermoesenii* J.J.De Wilde**

Reference: De Wilde, 1968: 130.

Habitat: *Terra firma* forest.

***Trichilia retusa* Oliv.**

Reference: De Wilde, 1968: 154.

Habitat: Riparian forest on the Sangha.

***Trichilia rubescens* Oliv.**

Reference: De Wilde, 1968: 161.

Habitat: *Terra firma* forest.

***Trichilia tessmannii* Harms**

Reference: De Wilde, 1968: 171.

Synonyms: *Trichilia lanata* A.Chev.

Habitat: *Terra firma* forest.

***Trichilia welwitschii* C.DC.**

Reference: De Wilde, 1968: 181.

Habitat: *Terra firma* forest.

***Turraeanthus africanus* (Welw. ex C.DC.) Pellegr.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 707. 1958.

Habitat: *Terra firma* forest.

MELIANTHACEAE

***Bersama palustris* L.Touss.**

Reference: Toussaint, F.C.R.B. 9: 394. 1960.

Habitat: Seasonally flooded forest.

MORACEAE

Antiaris toxicaria Lesch. subsp. *welwitschii* (Engl.) C.C.Berg var. *welwitschii*

Reference: Berg et al., Fl. Cam. 28: 106. 1985.

Synonyms: *Antiaris welwitschii* Engl.

Habitat: *Terra firma* forest.

Ficus barteri Sprague

Reference: Berg & Wiebes, 1992: 147.

Habitat: Seasonally flooded and *terra firma* forest.

Ficus calyptrocarpa Vahl

Reference: Berg & Wiebes, 1992: 116.

Synonyms: *Ficus mallotoides* Mildbr. & Hutch.

Habitat: Roadsides.

Ficus conraui Warb.

Reference: Berg & Wiebes, 1992: 139.

Habitat: *Terra firma* forest.

Ficus elasticoides De Wild.

Reference: Berg & Wiebes, 1992: 133.

Habitat: *Terra firma* forest.

Ficus kamerunensis Mildbr. & Burret

Reference: Berg & Wiebes, 1992: 131.

Habitat: *Terra firma* forest.

Ficus lingua De Wild. & T.Durand subsp. *lingua*

Reference: Berg & Wiebes, 1992: 120.

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forest.

Ficus louisi Lebrun & Boutique ex Boutique & J.Léonard

Reference: Berg & Wiebes, 1992: 74.

Habitat: *Terra firma* forest.

Ficus lutea Vahl

Reference: Berg & Wiebes, 1992: 99.

Habitat: Riparian forest on the Sangha.

Ficus mucoso Ficalho

Reference: Berg & Wiebes, 1992: 76.

Habitat: Old fields.

Ficus natalensis Hochst. subsp. *leptostachya* (Miq.) C.C.Berg

Reference: Berg & Wiebes, 1992: 121.

Habitat: *Terra firma* and riparian forest.

***Ficus ovata* Vahl**

Reference: Berg & Wiebes, 1992: 165.

Habitat: *Terra firma* forest.

Ficus polita* Vahl subsp. *polita

Reference: Berg & Wiebes, 1992: 158.

Habitat: *Terra firma* and riparian forest.

***Ficus recurvata* De Wild.**

Reference: Berg & Wiebes, 1992: 103.

Habitat: *Terra firma* forest.

***Ficus sansibarica* Warb. subsp. *macrosperma* (Mildbr. & Burret) C.C.Berg**

Reference: Berg & Wiebes, 1992: 162.

Synonyms: *Ficus macrosperma* Mildbr. & Burret

Habitat: *Terra firma* forest.

***Ficus sur* Forssk.**

Reference: Berg & Wiebes, 1992: 77.

***Ficus thonningii* Blume**

Reference: Berg & Wiebes, 1992: 127.

Habitat: *Terra firma* forest.

***Ficus wildemaniana* De Wild. & T.Durand**

Reference: Berg & Wiebes, 1992: 150.

Habitat: *Terra firma* forest.

***Milicia excelsa* (Welw.) C.C.Berg**

Reference: Berg et al., Fl. Cam. 28: 9. 1985.

Synonyms: *Chlorophora excelsa* Welw.

Habitat: *Terra firma* forest.

Conservation status: Low Risk – near threatened.

***Musanga cecropioides* R.Br. ex Tedlie**

Reference: Berg et al., Fl. Cam. 28: 272. 1985.

Habitat: Cleared ground, rare in undisturbed forest.

***Myrianthus arboreus* P.Beauv.**

Reference: Berg et al., Fl. Cam. 28: 262. 1985.

Habitat: *Terra firma* forest.

***Streblus usambarensis* (Engl.) C.C.Berg**

Reference: Berg, 1988: 357.

Synonyms: *Neosloetiopsis kamerunensis* Engl.; *Sloetiopsis usambarensis* Engl.

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forest.

***Treculia africana* Decne.**

Reference: Berg et al., Fl. Cam. 28: 16. 1985.

Habitat: Riparian and *terra firma* forest.

Trilepisium madagascariense DC.

Reference: Berg et al., Fl. Cam. 28: 103. 1985.

Synonyms: *Bosqueia angolensis* Ficalho

Habitat: *Terra firma* forest.

MYRISTICACEAE

Coelocaryon preussii Warb.

Reference: Fouilloy, Fl. Cam. 18: 98. 1974.

Habitat: *Terra firma* forest.

Pycnanthus angolensis (Welw.) Warb.

Reference: Fouilloy, Fl. Cam. 18: 91. 1974.

Habitat: *Terra firma* forest.

Pycnanthus marchalianus Ghesq.

Reference: Fouilloy, Fl. Cam. 18: 92. 1974.

Habitat: Riparian forest.

Staudtia kamerunensis Warb. var. gabonensis Fouilloy

Reference: Fouilloy, Fl. Cam. 18: 104. 1974.

Habitat: *Terra firma* forest.

MYRTACEAE

Syzygium vel sp. aff. staudtii (Engl.) Mildbr.

Reference: Amshoff, Fl. Gabon, 11: 8. 1966.

Habitat: *Terra firma* forest.

OCHNACEAE

Campylospermum densiflora De Wild. & T.Durand

Reference: Farron F.C.R.B. (Ochnaceae): 46. 1967.

Habitat: Streamsides.

Campylospermum strictum (Tiegh.) Farron

Reference: Farron F.C.R.B. (Ochnaceae): 49. 1967.

Habitat: *Terra firma* forest.

Campylospermum vogelii (Hook.f.) Farron var. *costatum* (Tiegh.) Farron

Reference: Farron, 1965: 403.

Habitat: *Terra firma* forest.

Campylospermum sp. A

Habitat: Riparian and *Gilbertiodendron dewevrei* forest.

***Lophira alata* Banks ex P.Gaertn.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 231. 1954.

Habitat: *Terra firma* and seasonally flooded forest.

Conservation status: Vulnerable.

***Ochna* sp. aff. *afzelii* R.Br. ex Oliv.**

Reference: Bamps, F.C.R.B. (Ochnaceae): 13. 1967.

Habitat: *Terra firma* forest.

***Ochna calodendron* Gilg & Mildbr.**

Reference: Mildbraed, 1921: 60.

Habitat: *Terra firma* forest.

***Rhabdophyllum affine* (Hook.f.) Tiegh.**

Reference: Farron, 1985: 67.

Habitat: Seasonally flooded and riparian forest.

***Rhabdophyllum arnoldianum* (De Wild. & T.Durand) Tiegh.**

Reference: Farron, 1985: 66.

Habitat: Seasonally flooded sedge meadows.

***Rhabdophyllum vel* sp. aff. *welwitschii* Tiegh.**

Reference: Farron, 1965: 393.

Habitat: Old fields.

OLACACEAE

***Aptandra zenkeri* Engl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 649. 1958.

Habitat: Mixed species and *Gilbertiodendron dewevrei terra firma* forest.

***Heisteria parvifolia* Sm.**

Reference: Villiers, Fl. Cam. 15: 126. 1973.

Habitat: *Terra firma* and seasonally flooded forest.

***Olax subscorpioidea* Oliv.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 647. 1958.

Habitat: Roadsides, riparian forest on the Sangha, old fields.

***Ongokea gore* (Hua) Pierre**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 649. 1958.

Habitat: *Terra firma* forest.

***Strombosia grandifolia* Hook.f. ex Benth.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 648. 1958.

Habitat: *Terra firma* forest.

***Strombosia nigropunctata* Louis & J.Léonard**

Reference: Louis & Léonard, F.C.B. 1: 269. 1948.

Habitat: *Terra firma* forest.

Strombosia pustulata* Oliv. var. *pustulata

Reference: Villiers, Fl. Cam. 15: 137. 1973.

Habitat: *Terra firma* forest.

***Strombosioipsis tetrandra* Engl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 649. 1958.

Habitat: *Terra firma* forest.

OLEACEAE

***Schrebera arborea* A.Chev.**

Reference: Green, F.W.T.A. 2: 49. 1963.

Habitat: *Terra firma* and riparian forest.

PANDACEAE

***Microdesmis vel sp. aff. pierlotiana* J.Léonard**

Reference: Villiers, Fl. Cam. 19: 50. 1975.

Habitat: *Terra firma* forest.

***Microdesmis puberula* Hook.f. ex Planch.**

Reference: Villiers, Fl. Cam. 19: 51. 1975.

Habitat: *Terra firma* forest.

***Panda oleosa* Pierre**

Reference: Villiers, Fl. Cam. 19: 43. 1975.

Habitat: *Terra firma* and seasonally flooded forest.

PASSIFLORACEAE

***Barteria dewevrei* De Wild. & T.Durand**

Reference: De Wildeman & Durand, 1899: 8.

Habitat: *Terra firma* forest.

***Barteria fistulosa* Mast.**

RHAMNACEAE

***Lasiodiscus mannii* Hook.f.**

Reference: Figueiredo, 1995: 505.

Habitat: *Terra firma* forest.

***Lasiodiscus palustris* Figueiredo**

Reference: Figueiredo, 1995: 510.

Habitat: By streams, forest clearings.

***Maesopsis eminii* Engl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 669. 1958.

Habitat: *Terra firma* forest.

RHIZOPHORACEAE

***Anopyxis klaineana* (Pierre) Engl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 286. 1954.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Cassipourea congoensis* R.Br. ex DC.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 283. 1954.

Habitat: Riparian and *terra firma* forest.

Cassipourea sp. A

Habitat: Old fields.

RUBIACEAE

***Aoranthe cladantha* (K.Schum.) Somers**

Reference: Somers, 1988: 71.

Habitat: Roadsides in *terra firma* forest.

***Aoranthe nalaensis* (De Wild.) Somers**

Reference: Somers, 1988: 72.

Habitat: Roadsides and light gaps.

***Belonophora coriacea* Hoyle**

Reference: Keay, F.W.T.A. 2: 158. 1963.

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forest.

***Brenania brieyi* (De Wild.) Petit**

Reference: Hallé, Fl. Gabon 17: 255. 1970.

Habitat: *Terra firma* forest.

***Coffea canephora* Pierre ex A.Froehner**

Reference: Bridson & Verdcourt, F.T.E.A. (Rubiaceae): 710. 1988.

Habitat: *Terra firma* forest.

***Coffea congensis* A.Froehner**

Reference: Lebrun, 1941: 95.

Habitat: Seasonally flooded and riparian forest on the Sangha.

***Coffea liberica* Hiern var. *dewevelei* (De Wild. & T.Durand) Lebrun**

Reference: Bridson & Verdcourt, F.T.E.A. (Rubiaceae): 706. 1988.

Habitat: *Terra firma* forest.

***Colletoecema dewevrei* (De Wild.) Petit**

Reference: Petit, 1963: 376.

Habitat: *Terra firma* forest.

***Corynanthe pachyceras* K.Schum.**

Reference: Stoffelen et al., 1996: 303.

Habitat: *Terra firma* forest.

***Cuviera angolensis* Welw. ex Hiern**

Reference: Hallé, 1959: 342.

Habitat: Light gaps in *terra firma* forest.

***Dictyandra arborescens* Welw. ex Hook.f.**

Reference: Hallé, Fl. Gabon 17: 87. 1970.

Habitat: Common by roadsides and rare in seasonally flooded forest clearings.

***Didymosalpinx lanciloba* (S.Moore) Keay**

Reference: Hallé, Fl. Gabon 17: 262. 1970.

Habitat: *Terra firma* forest.

***Gardenia imperialis* K.Schum. subsp. *physophylla* (K.Schum.) Pauwels**

Reference: Pauwels, 1985: 114.

Habitat: Riparian forest.

***Hallea stipulosa* (DC.) J.-F.Leroy**

Reference: Leroy, 1975: 66.

Synonyms: *Mitragyna stipulosa* DC.

Habitat: Riparian and swamp forest.

Conservation status: Vulnerable.

***Ixora brachypoda* DC.**

Reference: De Block, 1998: 90.

Habitat: Riparian forest.

***Leptactina involucrata* Hook.f.**

Reference: Hallé, Fl. Gabon 17: 90. 1970.

Synonyms: *Dictyandra involucrata* (Hook.f.) Hiern

Habitat: Roadsides.

***Leptactina pynaertii* De Wild.**

Reference: Hallé, Fl. Gabon 17: 82. 1970.

Habitat: Common in *Gilbertiodendron dewevrei* forest, also on roadsides.

***Massularia acuminata* (G.Don) Bullock ex Hoyle**

Reference: Hallé, Fl. Gabon 17: 178. 1970.

Habitat: *Terra firma* forest.

***Morinda lucida* Benth.**

Reference: Hepper, F.W.T.A. 2: 189. 1963.

Habitat: Common in old fields, occasionally *terra firma* forest.

Nauclea diderrichii (De Wild.) Merr.

Reference: Hallé, Fl. Gabon 12: 44. 1966.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

Nauclea gilletii (De Wild.) Merr.

Reference: Fl. Gabon 12: 4.

Habitat: Riparian forest along streams.

Oxyanthus speciosus DC.

Reference: Sonké, 1999: 86.

Habitat: Light gaps and roadsides.

Oxyanthus sp. A

Pauridiantha callicarpoides (Hiern) Bremek.

Reference: Fl. Gabon, 12: 258.

Habitat: Roadsides.

Pauridiantha dewevrei (De Wild. & T.Durand) Bremek.

Reference: Hallé, Fl. Gabon 12: 249. 1960.

Habitat: Light gaps in *terra firma* forest and roadsides.

Pauridiantha floribunda (K.Schum. & K.Krause) Bremek.

Reference: Hepper, F.W.T.A. 2: 168. 1963.

Habitat: Roadsides and light gaps in *terra firma* forest.

Pauridiantha pyramidata (K.Krause) Bremek.

Reference: Hallé, Fl. Gabon 12: 241. 1966.

Habitat: Riparian forest.

Pausinystalia macroceras (K.Schum.) Pierre ex Beille

Reference: Stoffelen et al., 1996: 311.

Habitat: *Terra firma* forest.

Pavetta calothrysa Bremek.

Reference: Manning, 1996: 106.

Habitat: Light gaps in *terra firma* forest.

Psilanthes manni Hook.f.

Reference: Keay, F.W.T.A. 2: 157. 1963.

Habitat: *Terra firma* forest.

Psydrax arnoldiana (De Wild. & T.Durand) Bridson

Reference: Bridson, 1985: 699.

Synonyms: *Canthium arnoldianum* De Wild. & T.Durand

Habitat: *Terra firma* forest.

***Psydrax palma* (K.Schum.) Bridson**

Reference: Bridson, 1985: 699.

Synonyms: *Canthium palmum* K.Schum.

Habitat: Light gaps in *terra firma* forest.

***Psydrax parviflora* (Afzel.) Bridson**

Reference: Bridson, 1985: 700.

Synonyms: *Canthium parviflorum* Afzel.

Habitat: Old fields and light gaps.

***Psydrax subcordata* (DC.) Bridson var. *connata* (De Wild. & T.Durand) Bridson**

Reference: Bridson, 1985: 698.

Synonyms: *Canthium subcordata* DC.

Habitat: Roadsides, seasonally flooded clearings and light gaps in *terra firma* forest.

***Rothmannia macrocarpa* (Hiern) Keay**

Reference: Somers & Robbrecht, 1991.

Habitat: *Terra firma* forest.

***Rothmannia urcelliformis* (Schweinf. ex Hiern) Bullock ex Robyns**

Reference: Keay, F.W.T.A. 2: 125. 1963.

Habitat: *Terra firma* forest and roadsides.

***Rothmannia whitfieldii* (Lindl.) Dandy**

Reference: Keay, F.W.T.A. 2: 126. 1963.

Habitat: *Terra firma* forest, old fields and roadsides.

***Sarcocephalus pobeginii* Pobég.**

Reference: Ridsdale, 1975: 547.

Synonyms: *Nauclea pobeginii* (Pobég.) Merr.

Habitat: Riparian forest on the Sangha.

***Schumanniophytum magnificum* (K.Schum.) Harms**

Reference: Hutchinson & Dalziel, F.W.T.A. 2: 116. 1963.

Habitat: *Terra firma* forest.

***Tarennia* vel sp. aff. *lasiorachis* (K.Schum. & K.Krause) Bremek.**

Reference: Hallé, Fl. Gabon 17: 110. 1970.

Habitat: Roadsides.

***Tarennia laurentii* (De Wild.) Garcia**

Reference: Hallé, Fl. Gabon, 17: 96.

Habitat: *Terra firma* forest.

***Tarennia* sp. A**

Habitat: *Terra firma* forest.

***Tarennia* sp. B**

Habitat: Riparian forest on the Sangha.

Tricalysia anomala E.A.Bruce var. *guineensis* Robbr.

Reference: Robbrecht, 1983: 314.

Habitat: *Gilbertiodendron dewevrei* and mixed species *terra firma* forest.

Tricalysia coriacea (Benth.) Hiern subsp. *coriacea*

Reference: Robbrecht, 1987: 79.

Habitat: Riparian forest.

Tricalysia crepiniana De Wild. & T.Durand

Reference: Robbrecht, 1979: 329.

Habitat: Light gaps in mixed species *terra firma* and *Gilbertiodendron dewevrei* forest.

Tricalysia elliotii K.Schum. var. *centrafricana* Robbr.

Reference: Robbrecht, 1983: 311.

Habitat: *Terra firma* forest.

Tricalysia longituba De Wild. var. *longituba*

Reference: Robbrecht, 1982: 320.

Habitat: Riparian forest on the Sangha and seasonally flooded forest clearings.

Tricalysia macrophylla K.Schum.

Reference: Robbrecht, 1979: 339.

Habitat: *Terra firma* and seasonally flooded forest.

Tricalysia oligoneura K.Schum.

Reference: Robbrecht, 1987: 135.

Habitat: *Terra firma* forest.

Tricalysia pallens Hiern

Reference: Robbrecht, 1987: 114.

Habitat: Light gaps and roadsides.

Tricalysia sp. A

Habitat: Mixed species and *Gilbertiodendron dewevrei terra firma* forest.

RUTACEAE

Afraegle asso Engl.

Reference: Letouzey, Fl. Cam. 1: 146. 1963.

Habitat: *Terra firma* forest.

Citropsis articulata (Spreng.) Swingle & Kellerm.

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 688. 1958.

Habitat: *Terra firma* forest.

Clausena anisata (Willd.) Hook.f. ex Benth.

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 686. 1958.

Habitat: Roadsides.

***Vepris glaberrima* (Engl.) J.B. Hall ex D.J. Harris**

Reference: Harris, 2000: 458.

Synonyms: *Oriciopsis glaberrima* Engl.

Habitat: *Terra firma* forest.

***Vepris louisii* G.C.C.Gilbert**

Reference: Letouzey, Fl. Cam. 1: 103. 1963.

Habitat: *Terra firma* forest.

***Zanthoxylum gilletii* (De Wild.) P.G.Waterman**

Reference: Kokwaro, F.T.E.A. (Rutaceae): 38. 1982.

Habitat: *Terra firma* forest.

***Zanthoxylum heitzii* (Aubrév. & Pellegr.) Waterman**

***Zanthoxylum lemairei* (De Wild.) P.G.Waterman**

Reference: Waterman, 1975: 364.

Habitat: *Terra firma* forest.

***Zanthoxylum leprieurii* Guill. & Perr.**

Reference: Kokwaro, F.T.E.A. (Rutaceae): 39. 1982.

Habitat: Abandoned logging roads.

***Zanthoxylum vel sp. aff. rubescens* Planch ex Hook.f.**

Reference: Kokwaro, F.T.E.A. (Rutaceae): 44. 1982.

Habitat: Seasonally flooded forest.

SANTALACEAE

***Okoubaka aubrevillei* Pellegr. & Normand**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 656. 1958.

Habitat: *Terra firma* forest.

SAPINDACEAE

***Allophylus africanus* P.Beauv.**

Reference: Fouillot & Hallé, Fl. Cam., 16: 50. 1973.

Habitat: Light gaps and clearings.

***Allophylus conraui* Gilg ex Radlk.**

Reference: Fouillot & Hallé, Fl. Cam. 16: 32. 1973.

Habitat: Old fields and light gaps.

***Allophylus hamatus* Vermoesen ex Hauman**

Reference: Fouillot & Hallé, Fl. Cam. 16: 42. 1973.

Habitat: Riparian forest on the Sangha.

***Allophylus* sp. A**

Habitat: *Terra firma* forest.

***Blighia unijugata* Baker**

Reference: Fouilloy & Hallé, Fl. Cam., 16: 186. 1973.

Habitat: *Terra firma* forest.

***Blighia welwitschii* (Hiern) Radlk.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 183. 1973.

Habitat: *Terra firma* forest.

***Chytranthus carneus* Radlk.**

Reference: Hallé, Fl. Cam. 16: 94. 1973.

***Chytranthus gilletii* De Wild.**

Reference: Hallé, Fl. Cam. 16: 89. 1973.

Habitat: Mixed species and *Gilbertiodendron dewevrei terra firma* forest.

***Chytranthus macrobotrys* (Gilg) Exell & Mendonça**

Reference: Hallé, Fl. Cam. 16: 111. 1973.

Habitat: Mixed species and *Gilbertiodendron dewevrei terra firma* forest.

***Chytranthus mortehanii* (De Wild.) de Voldere ex Hauman**

Reference: Hallé, Fl. Cam. 16: 96. 1973.

Habitat: Seasonally flooded forest.

***Chytranthus setosus* Radlk.**

Reference: Hallé, Fl. Cam. 16: 106. 1973.

Habitat: *Terra firma* forest.

***Deinbollia laurentii* De Wild.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 65. 1973.

Habitat: Riparian forest on the Sangha.

***Deinbollia molliuscula* Radlk.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 63. 1973.

Habitat: Light gaps.

Conservation status: Vulnerable.

***Eriocoelum dzangensis* D.J.Harris & Wortley**

Reference: Harris & Wortley, 2006b: 277.

Habitat: Mixed species *terra firma* forest.

Conservation status: Low Risk – least concern.

***Eriocoelum microspermum* Gilg ex Radlk.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 174. 1973.

Habitat: Riparian forest by streams.

***Eriocoelum* sp. A**

***Eriocoelum* sp. B**

***Ganophyllum giganteum* (A.Chev.) Hauman**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 191. 1973.

Habitat: *Terra firma* forest.

***Laccodiscus pseudostipularis* Radlk.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 162. 179.

Habitat: Light gaps and wet places in forest.

***Lecaniodiscus cupanioides* Planch.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 143. 1973.

Habitat: *Terra firma* forest.

***Lychnodiscus vel sp. aff. reticulatus* Radlk.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 168. 1973.

Habitat: Riparian forest on the Sangha.

***Majidea fosteri* (Sprague) Radlk.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 195. 1973.

Habitat: *Terra firma* forest.

***Pancovia vel sp. aff. harmsiana* Gilg**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 116. 1973.

Habitat: *Terra firma* forest.

***Pancovia laurentii* (De Wild.) Gilg ex De Wild.**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 122. 1973.

Habitat: *Terra firma* forest.

***Pancovia vel sp. aff. pedicellaris* Radlk. & Gilg**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 118. 1973.

Habitat: *Terra firma* forest.

***Placodiscus vel sp. aff. boyae* Aubrév. & Pellegr.**

Reference: Hallé, Fl. Cam. 16: 136. 1973.

Conservation status: Vulnerable.

***Placodiscus pynaertii* De Wild.**

Reference: Hauman, F.C.B. 9: 375. 1960.

Habitat: Riparian forest on the Sangha.

***Radlkofera calodendron* Gilg**

Reference: Hallé, Fl. Cam. 16: 79. 1973.

Habitat: Light gaps in *terra firma* forest.

***Zanha golungensis* Hiern**

Reference: Fouilloy & Hallé, Fl. Cam. 16: 189. 1973.

Habitat: *Terra firma* forest.

SAPOTACEAE

Autranella congolensis (De Wild.) A.Chev.

Reference: Aubréville, Fl. Cam. 2: 39. 1964.

Habitat: *Terra firma* forest.

Conservation status: Critically Endangered.

Brevia sericea Aubrév. & Pellegr.

Reference: Pennington, 1991: 212.

Synonyms: *Brevia leptosperma* (Baehni) Heine

Habitat: *Terra firma* forest.

Conservation status: Low Risk – near threatened.

Chrysophyllum beguei Aubrév. & Pellegr.

Reference: Heine, F.W.T.A. 2: 27. 1963.

Synonyms: *Gambeya beguei* (Aubrév. & Pellegr.) Aubrév. & Pellegr.

Habitat: Mixed species *terra firma* forest.

Chrysophyllum boukokoense (Aubrév. & Pellegr.) L.Gaut.

Reference: Gautier, 1997: 27.

Synonyms: *Gambeya boukokoensis* Aubrév. & Pellegr.

Habitat: *Terra firma* forest.

Chrysophyllum lacourtiana De Wild.

Reference: De Wildeman, 1907: 425.

Synonyms: *Gambeya lacourtiana* (De Wild.) Aubrév. & Pellegr.

Habitat: Mixed species *terra firma* forest.

Chrysophyllum perpulchrum Mildbr. ex Hutch. & Dalziel

Reference: Pennington, 1991: 220.

Synonyms: *Gambeya perpulchra* (Mildbr. ex Hutch & Dalziel) Aubrév

Habitat: Mixed species *terra firma* forest.

Chrysophyllum pruniforme Pierre ex Engl.

Reference: Heine, F.W.T.A. 2: 26. 1963.

Synonyms: *Donella pruniformis* (Pierre ex Engl.) Aubrév. & Pellegr.

Habitat: Mixed species *terra firma* and *Gilbertiodendron dewevrei* forest.

Chrysophyllum ubangiense (De Wild.) D.J.Harris

Reference: Harris, 2000: 229.

Synonyms: *Chrysophyllum pentagonocarpum* Engl. & K.Krause; *Donella ubangiensis* (De Wild.) Aubrév.

Habitat: *Terra firma* forest.

Englerophytum oubanguiense (Aubrév. & Pellegr.) Aubrév. & Pellegr.

Reference: Aubréville, Fl. Cam. 2: 74: 1964.

Synonyms: *Tisserantiodoxa oubanguiense* Aubrév. & Pellegr.

Habitat: Riparian forest.

***Manilkara mabokeensis* Aubrév.**

Reference: Aubréville, 1964: 373.

Habitat: Mixed species and *Gilbertiodendron dewevrei terra firma* forest.

***Manilkara pellegriniana* Tisser. & Sillans**

Reference: Aubréville, Fl. Cam. 2: 30. 1964.

Habitat: Seasonally flooded forest.

***Mimusops andongensis* Hiern**

Reference: Heine, F.W.T.A. 2: 20. 1963.

Synonyms: *Mimusops warneckeii* Engl.

Habitat: Riparian forest on the Sangha.

***Omphalocarpum elatum* Miers**

Reference: Heine, F.W.T.A. 2: 18. 1963.

Habitat: Mixed species and *Gilbertiodendron dewevrei terra firma* forest.

***Omphalocarpum pachysteloides* Mildbr. ex Hutch. & Dalziel**

Reference: Pennington, 1991: 261.

Synonyms: *Ituridendron bequaertii* De Wild.

Habitat: *Terra firma* forest.

***Omphalocarpum procerum* P.Beauv.**

Reference: Heine, F.W.T.A. 2: 18. 1963.

Habitat: *Terra firma* forest.

***Pouteria altissima* (A.Chev.) Baehni**

Reference: Pennington, 1991: 203.

Synonyms: *Aningeria altissima* (A.Chev.) Aubrév. & Pellegr.

Habitat: *Terra firma* forest.

Conservation status: Low Risk – conservation dependent.

***Synsepalum brevipes* (Baker) T.D.Penn.**

Reference: Pennington, 1991: 248.

Synonyms: *Pachystela brevipes* (Baker) Baill. ex Engl.

Habitat: Seasonally flooded forest.

***Synsepalum laurentii* (De Wild.) D.J.Harris**

Reference: Harris, 1999: 80.

Habitat: Riparian forest on the Sangha.

***Synsepalum longecuneatum* De Wild.**

Reference: Aubréville, Fl. Cam. 2: 30. 1964.

Habitat: *Terra firma* forest.

***Synsepalum subcordatum* De Wild.**

Reference: Pennington, 1991: 249.

Habitat: *Terra firma* mixed forest.

***Tridesmostemon omphalocarpoides* Engl.**

Reference: Aubréville, Fl. Cam. 2: 68. 1964.

Habitat: *Terra firma* forest.

SCYTOPETALACEAE

***Brazzeia congoensis* Baill.**

Reference: Letouzey, Fl. Cam. 20: 143. 1978.

Habitat: Seasonally flooded and riparian forest.

***Scytopetalum pierreanum* (De Wild.) Tiegh.**

Reference: Letouzey, Fl. Cam. 20: 191. 1978.

Habitat: Riparian forest on the Sangha.

SIMAROUBACEAE

***Hannoa klaineana* Pierre & Engl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 691. 1958.

Habitat: *Terra firma* forest.

STERCULIACEAE

***Cola acuminata* (Vent.) Schott & Endl.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 329. 1958.

Habitat: *Terra firma* forest.

***Cola* vel sp. aff. *altissima* Engl.**

Reference: Hallé, Fl. Gabon 2: 63. 1961.

Habitat: *Terra firma* forest.

***Cola chlamydantha* K.Schum.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 328. 1958.

Habitat: Riparian and swamp forest, occasionally *terra firma* forest.

***Cola gigantea* A.Chev.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 330. 1958.

Habitat: *Terra firma* forest.

***Cola lateritia* K.Schum.**

Reference: Hallé, Fl. Gabon 2: 47. 1961.

Habitat: *Terra firma* forest.

***Cola* sp. A**

***Leptonychia* sp. A**

Habitat: Riparian and *terra firma* forest.

***Leptonychia* sp. B**

Habitat: Riparian and *terra firma* forest.

***Nesogordonia papaverifera* (A.Chev.) Capuron**

Reference: Hallé, Fl. Gabon 2: 135. 1961.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Pterygota bequaertii* De Wild.**

Reference: Hallé, Fl. Gabon 2: 24. 1961.

Habitat: *Terra firma* forest.

Conservation status: Vulnerable.

***Sterculia dawei* Sprague**

Reference: Exell & Mendonça, Consp. Fl. Ang. 1: 203. 1951.

Synonyms: *Sterculia bequaertii* De Wild.

Habitat: *Terra firma* forest.

***Sterculia oblonga* Mast.**

Reference: Hallé, Fl. Gabon 2: 321. 1961.

Habitat: *Terra firma* forest.

***Sterculia tragacantha* Lindl.**

Reference: Hallé, Fl. Gabon 2: 13. 1961.

Habitat: *Terra firma* forest.

***Triplochiton scleroxylon* K.Schum.**

Reference: Hallé, Fl. Gabon 2: 111. 1961.

Habitat: *Terra firma* forest.

Conservation status: Low Risk – least concern.

THYMELAEACEAE

***Octolepis decalepis* Gilg**

Reference: Aymonin, Fl. Cam. 5: 78. 1966.

Habitat: Riparian forest.

TILIACEAE

***Christiana africana* DC.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 301. 1958.

Habitat: Riparian and seasonally flooded forest.

***Desplatsia chrysochlamys* (Mildbr. & Burret) Mildbr. & Burret**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 307. 1958.

Habitat: Light gaps in *terra firma* forest, seasonally flooded clearings in forest and cleared land.

***Desplatsia dewevrei* (De Wild. & T.Durand) Burret**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 307. 1958.

Habitat: *Terra firma* and seasonally flooded forest.

***Desplatsia mildbraedii* Burret**

Reference: Wilczek, F.C.R.B. 10: 44. 1963.

Habitat: *Terra firma* forest.

***Duboscia vel* sp. aff. *macrocarpa* Bocq.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 305. 1958.

Habitat: *Terra firma* forest.

***Duboscia vel* sp. aff. *viridiflora* (K.Schum.) Mildbr.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 305. 1958.

Habitat: *Terra firma* forest.

***Glyphaea brevis* (Spreng.) Monach.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 308. 1958.

Habitat: Light gaps in *terra firma* forest and riparian forest.

***Grewia coriacea* Mast.**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 303. 1958.

Habitat: *Terra firma* forest.

***Grewia oligoneura* Sprague**

Reference: Hutchinson & Dalziel, F.W.T.A. 1: 303. 1958.

Habitat: *Terra firma* and seasonally flooded forest.

***Grewia vel* sp. aff. *pinnatifida* Mast.**

Reference: Wilczek, F.C.R.B. 10: 10. 1963.

Habitat: *Gilbertiodendron dewevrei* forest.

ULMACEAE

***Celtis adolfi-friderici* Engl.**

Reference: Letouzey, Fl. Cam. 8: 23. 1968.

Habitat: *Terra firma* forest.

***Celtis mildbraedii* Engl.**

Reference: Letouzey, Fl. Cam. 8: 33. 1968.

Habitat: *Terra firma* forest.

***Celtis philippensis* Blanco**

***Celtis tessmannii* Rendle**

Reference: Letouzey, Fl. Cam. 8: 44. 1968.

Habitat: *Terra firma* forest.

***Celtis zenkeri* Engl.**

Reference: Letouzey, Fl. Cam. 8: 19. 1968.

Habitat: *Terra firma* forest and cleared land.

***Holoptelea grandis* (Hutch.) Mildbr.**

Reference: Letouzey, Fl. Cam. 8: 62. 1968.

Habitat: *Terra firma* forest.

***Trema orientalis* (L.) Blume**

Reference: Letouzey, Fl. Cam. 8: 48. 1968.

Habitat: Roadsides.

VERBENACEAE

***Premna angolensis* Gürke**

Reference: Hepper, F.W.T.A. 2: 438. 1963.

Habitat: *Terra firma* forest.

***Vitex doniana* Sweet**

Reference: Huber, F.W.T.A. 2: 446. 1963.

Habitat: Riparian forest and old fields.

***Vitex vel sp. aff. welwitschii* Gürke**

Reference: Pieper, 1928: 69.

Habitat: *Terra firma* forest.

Vitex sp. A

VIOLACEAE

***Rinorea brachypetala* (Turcz.) Kuntze**

Reference: Taton, F.C.R.B. (Violaceae): 53. 1969.

Habitat: *Terra firma* forest.

***Rinorea dentata* (P.Beauv.) Kuntze**

Reference: Taton, F.C.R.B. (Violaceae): 32. 1969.

Habitat: *Terra firma* forest.

***Rinorea oblongifolia* (C.H.Wright) Marquand ex Chipp**

Reference: Taton, F.C.R.B. (Violaceae): 27. 1969.

Habitat: *Terra firma* and riparian forest.

***Rinorea subsessilis* M.Brandt**

Reference: Taton, F.C.R.B. (Violaceae): 63. 1969.

Habitat: *Terra firma* forest.

***Rinorea welwitschii* (Oliv.) Kuntze**

Reference: Taton, F.C.R.B. (Violaceae): 59. 1969.

Habitat: *Terra firma* forest.

Rinorea sp. A

MONOCOTYLEDONS

LILIACEAE

***Dracaena arborea* (Willd.) Link**

Reference: Bos, 1984: 25.

Habitat: *Terra firma* forest.

PALMAE

***Raphia hookeri* G.Mann & H.Wendl.**

Reference: Russell, F.W.T.A. 3: 162. 1968.

Habitat: Permanent swamps.

***Raphia laurentii* De Wild.**

Reference: Tuley, 1995: 70.

Habitat: Edges of streams and swamps.

REFERENCES

For the main African floras, the citation provided under each species entry provides a direct reference, using the abbreviations in the following table. All other references are listed in the bibliography below.

Abbreviation	Flora
Consp. Fl. Ang.	Conspectus Florae Angolensis
F.C.B.	Flore du Congo Belge et du Ruanda-Urundi
F.C.R.B.	Flore du Congo, du Rwanda et du Burundi
Fl. Afr. Cent.	Flore d'Afrique Centrale
Fl. Cam.	Flore du Cameroun
Fl. Gabon	Flore du Gabon
F.T.A.	Flora of Tropical Africa
F.T.E.A.	Flora of Tropical East Africa
F.W.T.A.	Flora of West Tropical Africa, ed. 2

- Aubréville, A.** 1964. Notes sur des Sapotacées III. *Adansonia* **3**: 367—391.
- Berg, C.C.** 1988. The genera *Trophis* and *Streblus* (Moraceae) remodelled. *Proc. Kon. Ned. Akad. Wetensch. C* **91**: 345—362.
- Berg, C.C. & Wiebes, J.T.** 1992. *African Fig trees and Fig Wasps*. Amsterdam: Koninklijke Nederlandse Akademie van Wetenschappen.
- Bos, J.J.** 1984. *Dracaena* in West Africa. *Agric. Univ. Wageningen Pap.* **84-1**: 1—126.
- Bouchat, A. & Léonard, J.** 1986. Révision du genre *Necepsia* Prain (Euphorbiacée africano-malgache). *Bull. Jard. Bot. Natl. Belg.* **56**: 179—194.
- Brenan, J.P.M.** 1952. The *Albizia gummifera* complex. *Kew Bull.* **7**: 507—537.
- Brenan, J.P.M.** 1953. Tropical African Plants XXIII. *Kew Bull.* **8**: 83—120.
- Breteler, F.J.** 1993. Novitates gabonenses (10). *Keayodendron brideloides* (Euphorbiaceae): its typification, correct author citation, and recent discovery in Gabon. *Bull. Jard. Bot. Natl. Belg.* **62**: 187—190.
- Bridson, D.M.** 1985. The reinstatement of *Psydrax* (Rubiaceae, subfam. Cinchonoideae tribe Vanguerieae) and a revision of the African species. *Kew Bull.* **40**: 687—725.
- De Block, P.** 1998. The African species of *Ixora* (Rubiaceae-Pavetteae). *Opera Bot. Belg.* **9**: 1—218.
- de Jong, B.H.J.** 1979. A revision of the African species of *Alstonia* R.Br. (Apocynaceae). *Meded. Landbouwhogeschool* **79-13**: 1—16.
- De Wilde, J.J.F.E.** 1968. A revision of the species of *Trichilia* P.Browne (Meliaceae) on the African continent. *Meded. Landbouwhogeschool* **68-2**: 1—207.
- De Wildeman, E.** 1907. *Mission Emile Laurent, 1903-1904*. Vol. 1, fasc. 3: 355—450. Brussels: Van Buggenhoudt.
- De Wildeman, E. & Durand, T.** 1899. Contributions à la flore du Congo II. *Ann. Mus. Congo Belge, Bot. Sér. 2, 1*, fasc. 1: 1—72.
- Einmunjeze, V.E.** 1989. *Hemandradenia*. *Agric. Univ. Wageningen Pap.* **89-6**: 275—283.
- Farron, C.** 1965. Les genres *Rhabdophyllum* van Tiegh. et *Campylospermum* van Tiegh. (Ochnaceae) en Afrique Tropicale (Note préliminaire). *Bull. Jard. Bot. Etat Brux.* **35**: 389—405.
- Farron, C.** 1985. Les Ouratinae (Ochnaceae) d'Afrique continentale. Cartes de distribution et clés de détermination de tous les genres et espèces. *Bot. Helvetica* **95**: 59—72.
- Figueiredo, E.** 1995. A revision of *Lasiodiscus* (Rhamnaceae). *Kew Bull.* **50**: 495—526.

- Gautier, L.** 1997. Sapotaceae. Pp. 25—49 in: Lebrun, J.-P. & Stork, A.L. (eds.), *Enumération des plates à fleurs d'Afrique tropicale. Vol. IV, Gamopétales: Ericaceae à Lamiaceae*. Geneva: Conservatoire et Jardin Botaniques de Genève.
- Gillet, J.B.** 1960. A key to the species of *Platysepalum* Baker, with notes. *Kew Bull.* **14**: 464—467.
- Hallé, N.** 1959. Sur les *Cuviera* (Rubiacees) d'Afrique intertropicale et description pour ce genre de deux espèces et de deux variétés nouvelles. *Bull. Soc. Bot. France* **106**: 342—248.
- Harms, H.** 1899. Leguminosae africanae. II. *Bot. Jahrb. Syst.* **26**: 253—324.
- Harms, H.** 1915. Leguminosae africanae. VIII. *Bot. Jahrb. Syst.* **53**: 455—476.
- Harris, D.J.** 1996. A revision of the Irvingiaceae in Africa. *Bull. Jard. Bot. Natl. Belg.* **65**: 143—196.
- Harris, D.J.** 1999. A new combination and new synonymy in *Synsepalum* (Sapotaceae) from Central Africa. *Kew Bull.* **54**: 80.
- Harris, D.J.** 2000a. A new combination in *Chrysophyllum* (Sapotaceae) from Africa. *Kew Bull.* **55**: 229—230.
- Harris, D.J.** 2000b. Validation of the name *Vepris glaberrima* (Rutaceae). *Kew Bull.* **55**: 458.
- Harris, D.J.** 2002. The vascular plants of the Dzanga-Sangha Reserve, Central African Republic. *Scripta Botanica Belgica* **23**: 1—274. Brussels: National Botanic Garden of Belgium.
- Harris, D.J. & Wortley, A.H.** 2006a. A new species of *Drypetes* (Putranjivaceae) from the Central African Republic. *Edin. J. Bot.* **62**: 253—256.
- Harris, D.J. & Wortley, A.H.** 2006b. A new species of *Eriocoelum* (Sapindaceae) from the Central African Republic. *Kew Bull.* **61**: 277—280.
- IUCN.** 2006. 2006 IUCN Red List of Threatened Species. <www.iucnredlist.org>. Downloaded on 12 January 2007.
- Knapp-van Meeuwen, M.S.** 1962. Reduction of *Afrormosia* to *Pericopsis* (Papilionaceae). *Bull. Jard. Bot. Etat Brux.* **32**: 213—219.
- Kruijt, R.C. & Roebers, G.C.** 1996. *Sclerocroton. Biblioth. Bot.* **146**: 16—27.
- Krukoff, B.A. & Barneby, R.C.** 1974. Conspectus of species of the genus *Erythrina*. *Lloydia* **37**: 332—459.
- Lebrun, J.-P.** 1941. Recherches morphologiques et systématique sur les cafiers du Congo. *Mém. Inst. Roy. Colon. Belge, Sect. Sci. Nat. (8°)* **11**, fasc. 3: 1—184.
- Leeuwenberg, A.J.M.** 1985. *Voacanga Thou. Afric. Univ. Wageningen Pap.* **83-3**: 5—80.
- Leeuwenberg, A.J.M.** 1991. *A Revision of Tabernaemontana, the Old World Species*. London: Royal Botanic Gardens, Kew.
- Léonard, J.** 1950. Etude botanique des Copaliers du Congo Belge. *Publ. Inst. Natl. Etude Agron. Congo Belge, Sér. Sci.* **45**: 1—158.
- Léonard, J.** 1955. A propos des genres africains *Grossera* Pax et *Cavacoa* J.Léonard (Euphorbiaceae). *Bull. Jard. Bot. Etat Brux.* **25**: 315—324.
- Léonard, J.** 1956. Notulae systematicae XXII. Contribution à l'étude des *Croton* africains (Euphorbiaceae). *Bull. Jard. Bot. Etat Brux.* **26**: 384—397.
- Léonard, J.** 1960. Notulae systematica XXIX. Révision des *Cleistanthus* d'Afrique continentale (Euphorbiaceae). *Bull. Jard. Bot. Etat Brux.* **30**: 42—461.
- Léonard, J.** 1989. Révision du genre africain *Martretia* Beille (Euphorbiaceae) et la nouvelle tribu de Martretieae. *Bull. Jard. Bot. Natl. Belg.* **59**: 319—332.
- Léonard, J.** 1994. Révision des espèces zairoises du genre *Maesobotry* Benth. (Euphorbiaceae). *Bull. Jard. Bot. Natl. Belg.* **63**: 3—67.
- Leroy, J.-F.** 1975. Taxogénétique: étude sur la sous-tribu des Mitragyninae (Rubiaceae-Naucleaeae). *Adansonia* **15**: 65—88.

- Manning, S.D.** 1996. Revision of *Pavetta* subgenus *Baconia* (Rubiaceae: Ixoroideae) in Cameroon. *Ann. Missouri Bot. Gard.* **83**: 87—150.
- Mildbraed, G.W.J.** 1921. Neue und bemerkenswerte Waldbäume aus Kamerun. *Notizbl. Bot. Gart. Berlin-Dahlem* **8**: 53—62.
- Omino, E.** 1996. A monograph of the subtribe Pleiocarpinae. *Agric. Univ. Wageningen Pap. 96—1*: 81—178.
- Paiva, J.A.R.** 1966. Revisão das Annonaceae de Angola. *Mem. Soc. Brot.* **19**: 5—128.
- Pauwels, L.** 1985. Notes taxonomiques sur le genre *Gardenia* en Afrique centrale. *Bull. Soc. Roy. Bot. Belgique* **118**: 109—115.
- Pax, F. & Hoffmann, K.** 1922. Euphorbiaceae-Phyllanthoideae-Phyllantheae. Pp. 1-349 in: Engler, A. (ed.), *Pflanzenreich IV, 147 XV (Heft 81)*. Leipzig: Wilhelm Englemann.
- Pennington, T.D.** 1991. *The genera of Sapotaceae*. London: Royal Botanic Gardens, Kew.
- Petit, E.** 1963. Rubiaceae Africanae X. *Collectoecoma* genre nouveau de Rubiaceae d’Afrique. *Bull. Jard. Bot. Etat Brux.* **33**: 375—380.
- Pieper, W.** 1928. Vorarbeiten zu einer Revision der afrikanischen *Vitex*. *Bot. Jahrb. Syst.* **62**, Beiblatt 141 (as “142”): 1—89.
- Polhill, R.M.** 1971. Some observations on generic limits in Dalbergiæ – Lonchocarpineae Benth. (Leguminosae). *Kew Bull.* **25**: 259—273.
- Radcliffe-Smith, A.** 1974. Notes on African Euphorbiaceae. V. *Kew Bull.* **29**: 435—441.
- Radcliffe-Smith, A.** 1981. Notes on African Euphorbiaceae. XI. *Kew Bull.* **36**: 219—221.
- Richard, A.** 1841. Botanique – Plantes vasculaires. In: De la Sagra, R. (ed.), *Histoire Physique, Politique et Naturelle de l’Ile de Cuba, Vol. 1*. Paris: Arthus Bertrand.
- Ridsdale, C.E.** 1975. A synopsis of the African and Malagasan Rubiaceae-Naucleae. *Blumea* **22**: 541—553.
- Robbrecht, E.** 1979. The African genus *Tricalysia* A.Rich. (Rubiaceae-Coffeeae) 1. A revision of the species of subgenus *Empogona*. *Bull. Jard. Bot. Natl. Belg.* **49**: 239—360.
- Robbrecht, E.** 1982. The African genus *Tricalysia* A.Rich. (Rubiaceae-Coffeeae) 2. *Ephedranthera*, a new section of subgenus *Tricalysia*. *Bull. Jard. Bot. Natl. Belg.* **52**: 311—339.
- Robbrecht, E.** 1983. The African genus *Tricalysia* A.Rich. (Rubiaceae) 3. *Probletostemon* revived as a section of subgenus *Tricalysia*. *Bull. Jard. Bot. Natl. Belg.* **53**: 229—320.
- Robbrecht, E.** 1987. The African genus *Tricalysia* A.Rich. (Rubiaceae) 4. A revision of the species of sectio *Tricalysia* and sectio *Rosea*. *Bull. Jard. Bot. Natl. Belg.* **57**: 39—208.
- Sleumer, H.** 1971. Le genre *Casearia* Jacq. (Flacourtiaceae) en Afrique à Madagascar et aux Mascareignes. *Bull. Jard. Bot. Nail. Belg.* **41**: 396—426.
- Sleumer, H.** 1972a. A taxonomic revision of the genus *Dasylepis* Oliv. (Flacourtiaceae). *Bot. Jahrb. Syst.* **92**: 554—561.
- Sleumer, H.** 1972b. A taxonomic revision of the genus *Dovyalis* E.Mey. ex Arn. (Flacourtiaceae). *Bot. Jahrb. Syst.* **92**: 64—89.
- Sleumer, H.** 1972c. A taxonomic revision of the genus *Scottellia* Oliv. (Flacourtiaceae). *Blumea* **20**: 275—281.
- Sleumer, H.** 1973. Revision du genre *Homalium* Jacq. (Flacourtiacées) en Afrique (y compris Madagascar et les Mascareignes). *Bull. Jard. Bot. Natl. Belg.* **43**: 239—328.
- Sleumer, H.** 1974. Revision der Gattung *Buchnerodendron* Gürke (Flacourtiaceae). *Bot. Jahrb. Syst.* **94**: 289—295.
- Soladoye, M.O.** 1985. A revision of *Baphia* (Leguminosae-Papilioideae). *Kew Bull.* **40**: 291—386.
- Somers, C.** 1988. *Aoranthe* (Rubiaceae), a new genus to accommodate the African species of *Porterandia*. *Bull. Jard. Bot. Natl. Belg.* **58**: 47—75.

- Somers, C. & Robbrecht, E.** 1991. A precursor to the treatment of *Rothmannia* (Rubiaceae-Gardenieae) in “Flore d’Afrique Centrale.” *Bull. Jard. Bot. Natl. Belg.* **61**: 295—304.
- Sonké, B.** 1999. *Oxyanthus* (Rubiaceae) en Afrique centrale. *Opera Bot. Belg.* **8**: 1—106.
- Stoffelen, P., Robbrecht, E. & Smets, E.** 1996. A revision of *Corynanthe* and *Pausinystalia* (African Rubiaceae-Coptosapelteae). *Bot. J. Linn. Soc.* **120**: 287—326.
- Tuley, P.** 1995. *The palms of Africa*. St. Ives: The Trendrline Press.
- van Dilst, F.J.H. & Leeuwenberg, A.J.M.** 1991. *Rauvolfia* L. in Africa and Madagascar. Series of revisions of Apocynaceae XXXIII. *Bull. Jard. Bot. Natl. Belg.* **61**: 21—69.
- Villiers, J.F.** 1990. Contribution à l’etude du genre *Newtonia* Baillon (Leguminosae-Mimosoideae) en Afrique. *Bull. Jard. Bot. Natl. Belg.* **69**: 119—138.
- Waterman, P.G.** 1975. New combinations in *Zanthoxylum* L. (1753). *Taxon* **24**: 361—366.
- Yakovlev, G.P., Yatsenko-khmélévsky, A.A. & Zoubokova, I.G.** 1968. Taxonomie et phylogénie du genre *Angylocalyx* et de la tribu des Angylocalyceae. *Adansonia* **8**: 317—335.
- Zwetsloot, H.J.C.** 1981. A revision of *Farquharia* Stapf and *Funtumia* Stapf (Apocynaceae). *Meded. Landbouwhogeschool* **81-16**: 1—46.